

兔抗 NR3C1(Ab-211) 多克隆抗体

- 中文名称: 兔抗 NR3C1(Ab-211) 多克隆抗体
- 英文名称: Anti-NR3C1(Ab-211) rabbit polyclonal antibody
- 别名: GR; GCR; GRL; GCCR; GCRST
- 相关类别: 一抗
- 储存: 冷冻(-20℃)避光
- 宿 主: Rabbit
- 抗原: NR3C1(Ab-211)
- 反应种属: Human
- 标记物: Unconjugate
- 克隆类型: rabbit polyclonal

技术规格

| Background: | This gene encodes glucocorticoid receptor, which can func tion both as a transcription factor that binds to glucocorti coid response elements in the promoters of glucocorticoid responsive genes to activate their transcription, and as a r egulator of other transcription factors. This receptor is typ ically found in the cytoplasm, but upon ligand binding, is transported into the nucleus. |
|-------------------|--|
| Applications: | WB, IHC, IF |
| Name of antibody: | NR3C1(Ab-211) |
| Immunogen: | Synthesized non-phosphopeptide derived from human GR around the phosphorylation site of serine 211 (N-E-S-P-W) . |



| Full name: | nuclear receptor subfamily 3, group C, member 1 (glucoco rticoid receptor) |
|--------------------------|--|
| Synonyms : | GR; GCR; GRL; GCCR; GCRST |
| SwissProt: | P04150 |
| IHC positive control: | Human breast carcinoma tissue |
| IHC Recommend dilution: | 50-100 |
| WB Predicted band size: | 86 kDa |
| WB Positive control: | Hela cells treated with PMA (125ng/ml, 30min) lysate |
| WB Recommended dilution: | 500-3000 |
| IF positive control: | A549 cells |
| IF Recommend dilution: | 100-500 |







